REQUEST FOR BIDS

Carpentry, Concrete, Electrical, Flooring, Plumbing, and Professional Services

SOLICITATION #A10-08-24-7698 TULSA COUNTY

Rebid 3



Bids Due: November 7 , 2024 @ 5:00 P.M.

Housing Authority of the Cherokee Nation P.O. Box 1007 Tahlequah, OK 74465 (918) 456-5482

Housing Authority of the Cherokee Nation BID REQUEST

The Housing Authority of the Cherokee Nation is seeking bids from interested parties for the rehabilitation of one home located in **Tulsa** County. Work will be completed according to the work write-up. **This job must be completed in 20 working days.** Work should begin within two weeks of notification (NTP) or \$100.00 will be charged for liquidated damages to the contractor for each working day of extension over the contract end date. To be considered a responsive/responsible bidder, the Mandatory Bid Response sheet and the Bid Form must be fully completed. To receive preference, bidder must be TERO certified through the Cherokee Nation Tribal Employment Rights Office; proof of certification must accompany submittals. Successful bidder will be obligated to comply with Tribal rules and regulations and TERO.

A purchase order will be issued to the responsible Contractor who provides the lowest, most responsive bid in accordance with the HACN Procurement Policy. Award will be subject to availability of funds.

<u>MANDATORY SUBMITTAL INFORMATION:</u> The deadline for bids is November 7 <u>at 5:00 P.M.</u> Bids may be faxed to the attention of Baylee Scott at 918-456-5482 or e-mailed to <u>baylee.scott@hacn.org</u> or hand delivered to Baylee Scott at 5006 S. Muskogee Avenue, Tahlequah, OK 74464. It is the bidder's responsibility to ensure delivery of bids. Bids received after the deadline will not be considered.

<u>Bid Acceptance</u>: Bids will be accepted from Indian and Non-Indian bidders. HACN reserves the right to determine if a bid meets stated requirements, and to award a purchase order for the bid that is in the best interest of the HACN, including but not limited to the total cost and capability of the bidder. Bidders are responsible for any and all costs associated with the preparation and submission of bids. No bidder may withdraw their bid within 30 days after the due date. HACN reserves the right to reject any and all bids.

Tribal and Indian Preference: Indian preference will be given only to bidders who provide proof of current certification from the Cherokee Nation Tribal Employments Office (TERO) located in Tahlequah, OK. Proof of TERO certification must be included with the bid. This bid is subject to Section 7(b) of the Indian Self-Determination and Education Assistance Act, (25 U.S.C.405 e) which requires in part that to the greatest extent feasible, preference in the award of contracts and subcontracts shall be given to Indian Organizations and Indian Owned Economic Enterprises. Cherokee Nation TERO requirements apply, including the fee of ½ of 1% of contract award. The successful bidder must complete the TERO Labor Agreement and pay all applicable fees, including \$25 per day per non-Indian employee working on this project (see Legislative Act 01-14). Please contact the TERO office at (918) 453-5334 with any questions. The successful bidder must have all fees and paperwork submitted to TERO for a contract/P.O. to be considered fully executed.

Davis-Bacon Wage Rate **#OK20240081** applies to this project, Publication 01/05/2024, Modification Number 0. Any state or Tribal law requiring the payment of wage rates that exceed the corresponding Federal rate is inapplicable and shall not be enforced.

General Conditions:

The Contractor/Subcontractor agrees to the U.S. Department of Housing and Urban Development, Office of Public and Indian Housing, Instructions to Bidders for Contracts (HUD-5369), Representations, Certifications, and Other Statements of Bidders (HUD-5369-A) and General Contract Conditions for Small Construction/Development Contracts (HUD-5370-EZ). The contractor/subcontractor can review the above-mentioned General Conditions for HUD at https://hud.gov/offices/cpo/forms.

Bidders can visit the job site and acquaint themselves with the exact nature of work to be performed. To schedule a site visit contact Mike Dreadfulwater at (918) 457-9871.

The Contractor shall verify all quantities, measurements or dimensions, conditions, plans, scope of work, and write up before submitting a bid. Change Orders will not be approved based on mistaken quantity count, measurements or dimensions. At the time of the opening of bids, each bidder will be presumed to have:

Inspected the sites, familiarized themselves with any existing conditions and read and become thoroughly familiar to the scope of work and contract documents. (Including all addenda)

<u>Method of Award:</u> After reviewing all bids received, the purchase order will be awarded to the responsible bidder whose bid is determined to be the lowest and most responsive/responsible in accordance with the HACN Procurement Policy.

THE FOLLOWING FACTORS WILL BE GIVEN CONSIDERATION:

Number of Current, Pending Projects Previous Projects Completed on Time Quality of Work on Previous Projects Outstanding Warranty issues

<u>Method of Payment:</u> Payment will be made in 2 payments. The First payment at a minimum 50% Inspection Report and the Final payment at 100% Statement of Completion and acceptance of work approved by the HACN Inspector.

<u>Debarment, Suspension, Proposed Debarment, and Other Responsibility Matters:</u>

No Contracts/Purchase Orders shall be awarded to debarred, suspended, or ineligible contractors, under Executive Order 12549 (Debarment and Suspension). Contractors may be suspended, debarred, or determined ineligible by HUD regulations (24 CFR Part 24) or by other Federal agencies (e.g., Department of Labor, for violations of Labor Regulations) when necessary to protect the Housing Authority of the Cherokee Nation in its business dealings. The HACN may suspend or debar a contractor under state, local or tribal laws as applicable.

The responding party certifies to the best of its knowledge and belief that the person, the firm, or any of its principals are not presently debarred, suspended, proposed for debarment, or declared ineligible for the award of contracts by any Federal agency or Indian Tribe. The bidder will also certify they have not, within a three-year period preceding this Request for Bid:

- Been convicted of or had a civil judgment rendered against them for: commission of fraud or a criminal
 offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State,
 Local or Tribal) contract or subcontract; violation of Federal or State anti-trust statutes relating to the
 submission of offers; or commissions of embezzlement, theft, forgery, bribery, falsifications or
 destruction of records, making false statements, and are not presently indicted for, or otherwise
 criminally or civilly charged by governmental entity with, commission of any of the offenses
 enumerated in this provision, or
- Had one or more contracts terminated for default by a Federal, State, Local or Tribal agency.

The responding party shall provide immediate written notice to the HACN if, at any time prior to contract award, the person learns its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

Insurance Requirements (For Successful Bidder Only): Before performing contractual services on the behalf of or for the HACN, compliance with the following insurance requirements must be verified. Provide an original Certificate of Insurance naming the Housing Authority of the Cherokee Nation of Oklahoma as a certificate holder and should read as follows:

Housing Authority of the Cherokee Nation P.O. Box 1007 Tahlequah, Oklahoma 74465

The certificate should contain the following information:

- 1) Type of insurance
- 2) Policy number
- 3) Effective date
- 4) Expiration date
- 5) Limits of Liability (this amount is usually stated in thousands)
- 6) Ten-day cancellation clause

**Required Coverage:

1) <u>Worker's Compensation and Employer's Liability or Affidavit of Exempt Status Filed with the State of Oklahoma for **everyone** listed on the core crew list:</u>

Limits of Liability:

Bodily Injury by Accident: \$100,000 each accident Bodily Injury by Disease: \$500,000 policy limit Bodily Injury by Disease: \$100,000 each employee

Okłahoma Statute requires Worker's Compensation coverage for anyone with one (1) or more employees. **Exclusion Forms require state filed approved/authorization from the Workers Comp Administration. **

2) General Liability:

Coverage:

Comprehensive (including products/completed operations)

Limits of Liability:

Bodily Injury and Property Damage Combined: \$100,000.00

(each occurrence)

3) Automobile Coverage:

Vehicles Covered:

All Autos

Bodily Injury and Property Damage Combined: \$100,000

Hired Autos

Non-owned Autos

Limits of Liability:

Note: The Contractor shall either: (1) during the life of his subcontract, require each of his subcontractors to procure and to maintain Subcontractor's Public Liability and Property Damage Coverage or the same types of coverage in the same amounts as specified above, or (2) insure the activities of this subcontractors in his own policy.

Warranties/Workmanship:

The contractor/subcontractor shall warranty his work against faulty materials or workmanship for a period of One (1) Year and replace same at the direction of the Housing Authority of the Cherokee Nation (HACN) at no cost to the homeowner and/or the Housing Authority of the Cherokee Nation. The one-year period shall begin on the date of the final acceptance (inspection) for the completed job by the Inspector or designee. All labor shall have a one (1) warranty.

The contractor/subcontractor shall present all manufacturers' warranties to the homeowner with a copy to the Housing Authority of the Cherokee Nation (appliances, HVAC, termite treatment, roofing, hot water heaters, flooring, etc.) upon completion of the work and submitted with all closing documents and final invoice.

Subcontracts:

The successful bidder is specifically advised that any person, firm, or other party to whom it is proposed to award a subcontract under this contract must be approved by the HACN, and the TERO office must be consulted prior to any subcontractor being on site to ensure all appropriate forms, paperwork and approvals are in place. The successful bidder will be required to complete the Request for Acceptance of Subcontractor at the time of the contract signing if a subcontractor is to be utilized. **Unless the successful bidder is Licensed in a Trade area (ROOFING, HVAC, PLUMBING, ELECTRICAL, PEST TREATMENT), a Subcontractor IS REQUIRED.** All sums due to any suppliers or subcontractors must be paid and Lien Waivers submitted to HACN prior to any draw being released to Contractor.

AWARDED CONTRACTOR MUST SUBMIT TO THE HOUSING AUTHORITY OF THE CHEROKEE NATION ALL REQUIRED DOCUMENTATION WITHIN THREE (3) DAYS OF NOTIFICATION OF AWARD:

Insurance Certificates Listing the General Contractor as the Certificate Holder

- Current General Liability
- Current Auto Insurance
- Current Workman's Compensation Insurance or Affidavit of Exempt Status filed with the State of Oklahoma <u>for everyone listed on the core crew list.</u>

Core Crew List

Special Trade Licenses (as applicable) for Subcontractor(s) (Ex: Roofing, HVAC, Plumbing, Electrical) Request for Acceptance of Subcontractor(s)

Subcontractor Agreement(s)

CDIB/Tribal Membership Cards

RRP Lead Based Paint Certificate - Identify as needed per LBP test

RRP Renovation Firm Certificate - Identify as needed by year built

^{**}FAILURE TO SUBMIT ALL PAPERWORK BY DEADLINE WILL RESULT IN AWARD BEING REVOKED**

Please mark one and sign:

Drug Free and Tobacco Free Workplace:

- a) Any contractor performing work for the HACN agrees to publish a statement notifying all employees, subcontractors and other workers that the unlawful manufacture, distribution, dispensing, possession or use of a controlled substance is prohibited in the Contractor's workplace and specifying the actions that will be taken against violators of such prohibition.
- b) The HACN will consider lack of enforcement or lax enforcement of the statement by the Contractor a default of the contract.
- c) The Contractor further agrees to provide all persons engaged in performance of the contract with a copy of the statement.
- d) A copy of the Contractor's Drug Free Workplace Statement shall be included with any bid submitted or the Contractor will be deemed to accept and agree to use the statement provided by the HACN.
- e) The Contractor understands and recognizes that all HACN buildings, whether leased or owned, and the grounds surrounding those facilities are considered by the HACN to be a tobacco free workplace. The Contractor will ensure all employees, subcontractors, and other workers abide by this policy.

| | · · · · · · · · · · · · · · · · · · · |
|---|---------------------------------------|
| | |
| | |
| | |
| agree to the HACN's Drug/Tobacco Free Policy/Statement: | |
| (Attach your policy/statement and sign and date bottom) | |
| have my own (Contractor's) Drug/Tobacco Free Policy/Statement | |

Email Address

MANDATORY BID RESPONSE FORM

The General Contractor, as Bidder, agrees to perform all work as described in the Work Write-Up and Specifications for: Client: Rose Thelander Year of construction: 1973 (home was built prior 1978, RRP certifications will be required when submitting the bid) Anticipated Start Date:____ The Bidder agrees to furnish all labor and materials for the sum of: \$_____ Labor Materials **GRAND TOTAL OF BID** I understand this job must be completed within 20 working days once a NTP is issued. _____ (initial) Mandatory Bid Response sheet and Bid break down sheet must be fully completed before bid will be considered. Submission of my bid is confirmation that I have reviewed the job, fully understand the scope of work, and will complete the job within the timeframe designated after the issuance of the Purchase Order. (CHEROKEE) TRIBAL OR _____INDIAN PREFERENCE: (Check One) TERO Certified Contractor: _____Yes _____No (Proof of TERO Certification must accompany all bids) SUBMITTED: Company Name Company Address Print Name **Authorized Signature** Title

Phone Number



HACN HOUSING REHAB SITE DIRECTIONS

Name: Rose Thelander

Telephone: 918-633-0671 OR 918-691-3156

Address:

1508 E. 75th St. North


Tulsa, OK 74126

County: Tulsa

Year Built:XXXX

1973

GPS Coordinates: N 36.26223' W095.77156' Drive Time: 1hr 17min.



Directions: From Cherokee Nation, Go West on Hwy 62 for 19.6 miles to Muskagee Tumpike go north for 39.9 miles to Hwy 169 go north for 4.6 miles to 1 244 go west for 1 miles to Exit 12 B (Hwy 11) go NW for 10 miles to Hwy 75 go north for 3.9 miles to E 66th st., N. turn left go 2.4 miles turn right on N. Peoria Ave. go .9 mile to 75th St. N. turn right go .1 mile Brick House on Right.

| Cost | Estim | ator/In | spector |
|------|-------|---------|---------|
| | | | |

WorkWrite-Up and Bid DocumentBy Trade

| Rose Thelander | Contr | Contractor Name: | | | |
|--|---|--------------------------------------|------------------|---|-------------|
| 1508 E 75th St. N Tulsa, OK. | 7-4073 Contract | Contractor Signature: | | | |
| | | | incument must be | This document must be signed to be a valid bid. | |
| | PROJECT TYPE: Rehabilitation | Rehabilitation | | Bid Due Date: | |
| Trade Work D | Fork Description / Comments | 90 | Gen. Spec. | Qo Unit | I'em Bid |
| Carpentry | | | | | |
| 1 Area: KITCHEN | | | Div#6.0.1 | 12LF | |
| Base Kitchen Cabinets/Replace/ Prefinished Oak. Replace Base Cabinets, Includes, door and drawer pulls. | Prefinished Oak. Replace B | ase Cabinets, Inclu | des, door | | |
| Replace all of the kitchen base cabinet | binets, set level and square. | 0.00 | | | |
| 2 Area: KITCHEN | | S | Div.# 6.0.4 | 12 LF | |
| Countertop/New/Post Form Top, Install new countertop and backsplash. | install new countertop and b | nacksplash. | | | |
| Replace the cabinet countertop. Provide the home owner with color samples for selection. | hovide the home owner with | 1 color samples for | selection | | |
| 3 Area: EXTERIOR | | Ä | Div.#8.A. | T. | |
| Door/Exterior/Half-Glass/Pre-Hung Steel/. Replace exterior entrance door with new pre- hung two panel with 1/2 glass with Mini Blinds between the glass. Work shall include paint-both sides, lockset, deadbolt & peephole. | g Steel/. Replace exterior entrance door with new p i Mini Bilnds between the glass. Work shall include I & peephole. | mance door with nass. Work shall inc | w pre- | | |
| Replace the existing entrance door. Match size and swing. | n. Match size and swing. | | | | , |
| 4 Area: EXTERIOR | | <i>X</i> | DIV# 5.C | 100 F | |
| Handrail/Wood/Install. Install new porch handrail with balusters. | porch handrall with baluste | Ż | | | |
| Balusters Repair; drill and screw all of the existing balusters to the handralls. Replace any damaged units. | ill of the existing balusters t | o the frandrails. Rej | ilace | | |
| Print Date: Tresdin, June 25, 2024 | | 1508 E 75th St. W. Tulsa, OK | JE 7.4073 | | Page 1 of 6 |

| Trade Work Descrip | Wark Description / Comments | Cent. Spec. | | Item Bid |
|--|---|-------------------------------------|----------|--|
| Carpentry | | | | |
| 5 Area: FOUNDATION | 2 | Div# 4.P. | 1010 SF | |
| Mobile Home Relevel /C. rowel cut foints). Level s | Mobile Home Relevel /Concrete Block/8" x 8" x 16". Install concrete block (8" x 8" x 16", trowel out joints). Level steel L Beams, replace any cracked blocks. | ock (8" x 8" x 16", | | |
| Level mobile home with concrete pads. | Level mobile home with 16" x 16" x 8" concrete blocks, supported by 16"x 16" x 3" thick concrete pads. | 6"x 16" x 3" thick | | |
| 6 Area: FOUNDATION | 7 | Dir.# 15.C. | 175LF | |
| Skirting/Install. Use new 29 gauge metal include trim cap, Attach new skirt to 2" x | 29 gauge metal panels (primed and painted) 4" below grade / lew skirt to $2^{\circ} \times 4^{\circ}$ (pressure treated) frame. | 4" below grade / | | |
| Replace the vinyl skirting raming, trim and molding | Replace the vinyl skirting with 29 GA colored metal skirting, includes all necessary framing, trim and moldings. The home owner is to choose color. | Inecessary | | |
| / Area: EXTERIOR | | Dr.# 8.B | L Ea | |
| Storm Door/Aluminum/white finish/ heav new aluminum 1 1/4" thick storm door w Platinum Series. Including all hardware. | Storm Door/Aluminum/white finish/ heavy duty Replace. Replace storm/screen door with new aluminum 1 1/4" thick storm door with a retractable screen /white finish Larson Platinum Series. Including all hardware. | r/screen door with finish Larson | | |
| Replace the existing stor | Replace the existing storm door, use a HD 1"1/4" thick white door with all hardware. | all hardware. | | |
| 8 Area: BEDROOM #1 | | DN#6D | 144.SF | |
| Subfloor/ Remove the existing flooring. R Bedroom # 1 first bedroom on the right a floor for new vinyl plank flooring, replace | Subfloor/ Remove the existing flooring. Replace subfloor with new 3/4" smooth plywood. Bedroom # 1 first bedroom on the right after entering. Replace the sub-floor, then prep floor for new vinyt plank flooring, replace or repair bad floor joist. | smooth plywood. floor, then prep | | The state of the s |
| Area: BEDROOM #2 | N | CO # MAG | 4 | |
| Subfloor/ Remove the exitedroom on the East end | Subfloor/ Remove the existing flooring. Replace subfloor with new 3/4" smooth plywood. Bedroom on the East end, Replace the sub-floor, and repair any weak floor loist. | smooth plywood. floor inst | | |

Print Date: Tuesdar, June 25, 2024

ISON F TSIN SE N'TULSA, OK 7-4073

Page 2 of 6

| Trade | Work Description / Comments | Gen. Spec. | On Unit | Item Bid |
|---|---|---|---|-------------|
| Сапрепіту | | | | |
| 10 Area: KITCHEN | Z | Din# 6.02 | 71 | |
| Wall Hung Cabinets/Replace/Pre- pre-finished oak cabinet(s). Replace all of the upper cabinets. | Wall Hung Cabinets/Replace/Pre-Finished Oak, Replace wall hung cabinet(s) with new pre-finished oak cabinet(s). Replace all of the upper cabinets. | ig cabinet(s) with new | | |
| Concrete | | | | |
| 11 Area: EXTERIOR | OR | Div#3.0 | 90 SF | |
| Sidewalk/Concrete/ | Sidewalk/Concrete/Install, Install new concrete Sidewalk, 4" minimum thickness. | num thickness. | | |
| Dig. form and pour a 3'x 30' concr the fence gate. Lite Broom Finish. | Dig. form and pour a 3x 30' concrete sidewalk from the bottom of the wheelchair ramp to the fence gate. Lite Broom Finish, | the wheelchair ramp to | | |
| Electrical | | | | |
| 12 Area: INTERIOR | J.R. | DIN# 13.D. | | |
| Carbon Monoxide Dimonoxide Dimonoxide detector. | Carbon Monoxide Defector/Direct Plug Type/Install. Install a new direct plug type carbon monoxide detector. | direct plug type carbon | | |
| Place on the hallway wall. | y wall | | | |
| 13 Area: ELECTRICAL | NGAL | Dfv#13.D. | n M M | |
| Light Fixture, Install plate and circuit, US 6142505B Or Equal Replace the light fixt | Light Fixture, Install new 14 inch, round, flush mount, ceiling light fixture, switch, cover plate and circuit. USE; Maxxima 14" LED Flush Mount Ceiling light. Model # MCL-6142505B Or Equal. Replace the light fixtures in each bedroom, living room, and dining. | fixture, switch, cover t. Wodel # MCL- | | |
| 14 Area: HALLWAY #1 | 4X #1 | <i>pin</i> :#13.D. 15 | — — | |
| Light Fixture/ Hallway/Replace ceilin Replace light fixture, match existing | Light Fixture/ Halfway/Replace ceiling mount fixture light fixture. Replace light fixture, match existing | 000000000000000000000000000000000000000 | 0 | |
| Print Date: Tuesday, June 25, 2024 | | 1508 E 75th St. N Tulen, OK 7-4873 | | 9.Jo § 38nd |
| | | | | |

| Trade Work Description / Comments | Gen. Spec. | an co | Item Bid |
|--|--|-------|----------|
| Electrical | | | |
| 16 Area: EXTERIOR | Div# 13.D. | TI. | |
| Light Fixture/Porch/Replace exterior porch light. Front Porch: replace the light fixture, switch, and cover. | | | |
| 16 Area: ELECTRICAL | Din# 13.D. | T. | |
| Main Service/150 Amp/install. Install new main Service with new 150 AMP service with 18 branch breakers. Include underground/overhead wire to home. According to NEC | AMP service with | | |
| Replace the existing electrical service panel with a 150 AMP panel; Include proper size service cable for the 150 AMP service. Label each breaker to service areas. Requires a State Licensed Electrical Contractor for this installation. | nclude proper size areas. Requires a | | |
| 17 Area: ELECTRICAL | Div.# 13.D | 15 Ea | |
| Outlet/110v Duplex/20 Amp/Grounded/Replace 110 duplex outlet and cover/20 amp., grounded. | 1 cover/20 amp., | | |
| Replace all Electrical Outlets, check wiring when replacing. | A CONTRACTOR CONTRACTO | | |
| 18 Area: INTERIOR | Dix#13.D. | 3 Ea | |
| Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year lithium battery). All bedrooms and hallways adjacent to bedrooms. Use Firex #4015 or written approved equal. | y operated (10 year se Firex #4015 or | | |
| Install one in each bedroom over the doorway and one in the hallway. | | | |
| Flooring | | | |

Print Date: Tuesday, June 28, 2024

1508 E 75th St. N Tulsa, OK 7-4073

Page 4 of 6

| Trade | Work Description / Comments | Gen. Spec | QD Date | Iem Bil |
|---|--|---------------------------|----------|--|
| Flooring | | | | |
| 19 Area: BEDROOM #1 | T# M | 7.6#W | 12 To 12 | |
| Flooring/ Install vinylong Click Lock Wate | Flooring/ Install vinyliflooring planks. Install vinyl Planks 22 MIL X 8,7" in. Wide X 48" in. Long Click Lock Waterproof vinyl Planks., with 25 Year Residential Warranty. | 8,7" in. Wide X 48"in. | | CONTROL OF THE PROPERTY OF THE |
| edroom on the right ooring; includes all r | Bedroom on the right after you enter the front door, Install new click lock vinyl plank flooring, includes all necessary thin and moldings. | k lock vinyl plank | | |
| 20 Area: BEDROOM #2 | N #2 | 76#WG | 144.SF | |
| Flooring/ Install vinyl/flooring planks, Inst Long Click Lock Waterproof vinyl Planks. | Flooring/ Install vinyl/flooring planks. Install vinyl Planks 22 MIL X 8.7" in. Wide X 48"in. ong Click Lock Waterproof vinyl Planks., with 25 Year Residential Warranty. | 8.7"in, Wide X 48"in. | | |
| Bedroom to the far left after entering the flooring: includes all necessary base trim | | ok Lock vinyl plank | | |
| 21 Area: LIVING ROOM #1 | 00M#1 | 76#4JQ | 14.SF | |
| Rooring/Install vinyli | Flooring/Install vinyl/flooring planks. Install vinyl Planks 22 MIL X 8.7" in. Wide X 48" in. Long Click Lock Waterproof vinyl Planks., with 25 Year Residential Warranty. | 8.7" in. Wide X 48"in. | | |
| This includes the Living room, kitchen, an Install new Click Lock vinyf plank flooring heavy floor roller after installation to insun | This includes the Living room, kitchen, and down the halfway. Install new Click Lock vinyl plank flooring with all necessary base and moldings. Use a heavy floor roller after installation to insure locking. | nd moldings. Use a | | : |
| 22 Area: BEDROOM #1 | 1# N | ZAFE | 16 SY | |
| nderlayment/3/8". R | Underlayment/3/8". Replace existing underlayment with new 3/8" underlayment. | underlayment. | | ************************************** |
| stall a smooth unde derlayment accordi | Install a smooth underlayment over the sub-floor for the vinyl installation. Fasten underlayment according to the Manufactures instructions to prevent warp. | lation, Fasten I'warp, | 100 | |
| 23 Area: BEDROOM #2 | ##2 | Div.#6.F | \$ S.4 | |
| nderlayment/3/8", R | Underlayment/3/8". Replace existing underlayment with new 3/8 "underlayment. | inderlayment | | |

Print Date: Tuesday, June 25, 2034

1508 E 75th St. N Tulsa OK 7-4073

Page 5 of 6

for conducting safe work practices that comply with OSHA Construction Standards for Asbestos compliance with the more stringent requirement. Contractor awarded the job will be responsible Workers. Asbestos report, where required, will be attached if areas tested are 1% or greater. See Based Paint requirements when applicable. Conflicts between requirements will be resolved by installation procedures, good quality workmanship practices, General Specifications and Leadattached Asbestos Sampling Report for location and testing of Planned Work Activities.

1508.E 75th St. N. Tulsa, OK 7-4073

Print Date: Tuesday, June 25, 2024

Page Gof 6