



TYP. ROOF CONSTRUCTION:

- FULLY ADHERED 60 MIL SHEET EPDM
- 3" RIGID POLYISOCYANURATE INSULATION
- METAL DECK

TYP. PORCH ROOF:

- ASPHALT SHINGLES, COLOR AS SELECTED & APPROVED BY OWNER, OVER 30 LB ROOFING FELT (WITH SELF-ADHERING UNDERLAYMENT)
- 1/2" EXTERIOR GRADE PLYWOOD ROOF SHEATHING, SEE STRUCTURAL DRAWINGS

TYP. EXTERIOR STEEL STUD WALL:

- "HARDIE" BOARDS, PANELING/SIDING (SIDING TO BE ATTACHED THROUGH GYPSUM SHEATHING TO METAL STUDS)
- "TYVEK" COMMERCIAL WRAP
- 5/8" EXTERIOR GLASS FIBER-FACED GYPSUM SHEATHING
- 6" STEEL STUDS @ 16" O.C. (ALIGN EXTERIOR FACE OF STUD WITH EXTERIOR FACE OF FOUNDATION/FASTER METAL STUDS)
- 1/2" GYPSUM BOARD @ 16" O.C. (EMBEDMENT MULTI-2-DNI POWDER, ACTUATED FASTENERS @ 16" O.C.)

*****AT PARAPET*****

- GEORGIA-PACIFIC DENSEDECK PRIME SHEATHING
- ROOFING TO RUN OVER TOP OF CORNICE
- *****AT INTERIOR*****
- 6" BATT FIBERGLASS INSULATION BETWEEN STUDS
- 6" MIL POLY. VAPOR BARRIER
- 5/8" "TYPE X" GYPSUM BOARD

TYP. FLOOR CONSTRUCTION:

- FLOOR FINISHES PER ROOM FINISH SCHEDULE
- 5" CONCRETE SLAB ON 6" MIN. POLY. VAPOR BARRIER

1 WALL SECTION

3/4" = 1'-0"
0 2 4



ARCHITECT:

Thalden • Boyd Architects
A Native American Firm

16 East 16th Street, Suite 500
Tulsa, Oklahoma 74119
(918) 587-7445
St. Louis, MO Las Vegas, NV

THALDEN BOYD ARCHITECTS, LLC
COPYRIGHT 2006

THESE DRAWINGS AND DRAWINGS ARE COPYRIGHTED AND REMAIN THE PROPERTY OF THALDEN BOYD ARCHITECTS, LLC. NO PART MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT WRITTEN CONSENT.



701 Lee Street
Suite 900
Des Plaines, Illinois
60016-4551

V 847 824 0132
F 847 824 7906
www.kurtzarch.com

SEAL:

REVISIONS:

4	JL	3-15-06	REVISION
3	JL	3-10-06	REVISION
2	JL	2-27-06	REVISION
1	JL	1-30-06	PRE-BID ADDENDUM

NO. BY DATE

TITLE:
WALL SECTION

PROJECT NO.: 5409.00
DATE: 1/9/06
SCALE: AS SHOWN

BID ISSUE

DRAWING NO.
A301