

CHEROKEE NATION

Environmental Programs



LEAD-BASED PAINT CLEARANCE TEST

PARTICIPANT: SPARKS, ROSALINE

PREPARED BY: LOGAN GIRTY, ENVIRONMENTAL SPECIALIST III

REQUESTED BY: HACN HOUSING REHABILITATION – GEORGE HUBBARD

GENERAL INFORMATION

Date of Clearance Inspection: October 17, 2024

Participant Name:

Rosaline Sparks
222 N Smith St, Vinita, OK 74301
36.6421 N°, -95.1592 W°
Home constructed in 1935

Clearance Examiner:

Logan Girty, Environmental Specialist III
Cherokee Nation Environmental Programs
PO BOX 948, Tahlequah, OK 74465
918.453.5009 Ext. 6140
Oklahoma Inspector/Risk Assessor, OKRASR13908
Cherokee Nation Inspector/Risk Assessor, CNRASR00037

Cherokee Nation Environmental Programs
PO Box 948, Tahlequah, OK 74465
918.453.5000
Oklahoma Firm: OKFIRM11198
Cherokee Nation Firm: CNFIRM00001

Laboratory:

QuanTEM Laboratories, LLC
AIHA-LAP 101352, NVLAP 101959-0
4220 N. Santa Fe Ave
Oklahoma City, OK 73105
(800) 822-1650

SUMMARY OF CLEARANCE RESULTS:

Based on a visual assessment and dust sampling on October 17, 2024, **no** dust-lead hazards, as defined by federal standards were found. This is the second clearance for this site.

Signature: _____

Logan Girty

Date: 10/24/2024

SUMMARY OF HAZARD REDUCTION ACTIVITIES

Completion Date: October 16, 2024 @ 10:50 AM

Firm Information:

Rycon Environmental LLC
213 River St, Commerce, OK
OKFIRM12745
Construction Inspector: Carlos Ybarra OKSUVR12761

Description of Hazard Reduction Activities and Areas Addressed:
(Information in this section provided by Cherokee Nation Housing Rehabilitation Department)

Location	Activity
Interior	See Attached Work Write-Up
Exterior	See Attached Work Write-Up
Description of Work:	Prior to initiating work, install one layer of six-mil plastic on ground/floor and doorways of bedroom, and on floor from bedroom to exterior entrance and exit doorway. HEPA/WET/HEPA to reduce the elevated lead dust levels on the bedroom floor, and Hepa-vac plastic to remove leaded dust. Remove six-mil plastic from lead activity areas. Seal and tape all laps and joints. Debris shall be stored in locked trailer or dumpster until it can be taken to a code legal dump site.
Occupant Protection Plan:	N/A – Not Abatement Work

On-Going Lead Based Paint Monitoring Requirements:

CN Housing Rehab provides services for eligible Cherokee Citizen's privately owned homes. The NAHASDA funding is from year to year and none can be set aside for the follow up monitoring for Interim Controls of the Lead Based Paint. Enclosures and component replacement is chosen, when possible, to remove the lead hazard because it is in the best interest for the participant to prevent lead based paint and dust hazards.

VISUAL ASSESSMENT - LEAD HAZARD CLEARANCE EXAMINATION

Work Area	Deteriorated Paint	Debris	Visible Dust	Notes	Pass/Fail
Living Rm	No	No	No		Pass
Dining/Kitchen	No	No	No		Pass
Bath 1&2	No	No	No		Pass
Bedroom 1	No	No	No		Pass
Basement	No	No	No		Pass
Exterior	No	No	No		Pass

DUST LEAD HAZARD CLEARANCE EXAMINATION:

Sample #	Location	Surface	Dimensions of sample area (inch)	$\mu\text{g} / \text{ft}^2$	Pass/Fail
01	Bath 2	Floor	12x12	3.7	Pass

HUD/EPA Clearance Standards for Lead in Dust: Floors $10\mu\text{g} / \text{ft}^2$, Interior window sill $100\mu\text{g} / \text{ft}^2$, Window trough: $100\mu\text{g} / \text{ft}^2$

SOIL LEAD HAZARD CLEARANCE EXAMINATION:

Sample #	Location	Bare or Covered	$\mu\text{g} / \text{g}$	Pass/Fail
N/A				

HUD/EPA Clearance Standards for Lead in Soils: Play Areas $400\mu\text{g} / \text{g}$, all other areas $1200\mu\text{g} / \text{g}$



2033 HERITAGE PARK DR, OKLAHOMA CITY, OK 73120 | 1.800.822.1650


Environmental Chemistry Analysis Report

Quantem Set ID: 373528
Date Received: 10/21/24
Received By: Baylie Longstreth
Date Sampled:
Time Sampled:
Analyst:
Date of Report: 10/22/24
AIHA LAP, LLC: 101352

Client: Cherokee Nation Environmental Programs
Logan Girty
PO Box 948
Tahlequah, OK 74464

Acct. No.: C162
Project: Rosaline Sparks
Location: Vinita
Project No.: N/A

Quantem ID	Client ID	Matrix	Parameter	Results	Reporting Limits	Units	Date/Time Analyzed	Method
001	01	Wipe	Lead	3.7	2.5	ug/sq. Ft.	10/22/24 14:12	NIOSH 7082

Authorized Signature: 
Eric Caves, Chemistry Technical Manager

Note: Sample results have not been corrected for blank values.

This report applies only to the standards or procedures indicated and to the specific samples tested. It is not indicative of the qualities of apparently identical or similar products or procedures, nor does it represent an ongoing assurance program unless so noted. These reports are for the exclusive use of the client and are not to be reproduced without specific written permission. Quantem is not responsible for user-supplied data used in calculations. Customer provided data such as volumes, areas, etc., cannot be verified by Quantem Laboratories, LLC.

Unless otherwise noted, upon receipt the condition of the sample was acceptable for analysis.

Wipe materials must meet ASTM E1792 criteria. Method detection limits and resultant reporting limits may not be valid for non-ASTM E1792 wipe material.

EPA Method 7000B (1) = EPA 600/R-93/200 Preparation Modified. EPA 7000B Analysis Modified

EPA Method 7082 (2) = EPA 600/R-93/200 Preparation Modified. EPA 7082 Analysis Modified

Supplemental Report QAQC Results

QA ID: 21288
Test: Lead

Date: 10/22/2024
Matrix: Wipe

Lab Number: 373528
Approved By: Eric Caves
Date Approved: 10/22/2024

Notes:

Blank Data:

Type of Blank	Blank Value
FCB	0
ICB	0

Standards Data:


Standard	Low Limit	Obtained	High Limit
FCV	2.2	2.59	2.8
CCV	2.2	2.49	2.8
RLVS	0.05	0.13	0.15
ICV	0.9	0.97	1.1

Duplicate Data:

Recovery Data:

Sample Number	Result	Spike Level	Result + Spike	% Recovery	Dup. Result + Spike	% Dup. Recovery	% Spike RPD
MS-W	0.000	2.428	2.270	93.5	2.290	94.3	0.9

Authorized Signature: _____



Eric Caves, Chemistry Technical Manager



LEAD CHAIN OF CUSTODY

2033 Heritage Park Drive, Oklahoma City, OK 73120-7502
 (800) 822-1650 • (405) 755-7272 • Fax: (405) 755-2058

LEGAL DOCUMENT - PLEASE PRINT LEGIBLY

For Lab Use Only
 Lab No. **373528**
 Accept Reject

Report Results (one box)
 QuantEM Website
 Email: logan-girty@cherokee.org
 Other

Project Information
 Project Name: **Rosaline Sparks**
 Project Location: **Vinita**
 Project ID:
 P.O. Number: **895481**

Contact Information
 Company: **Cherokee Nation Environmental Programs**
 Phone: **(918) 453-5000**
 Cell Phone: **(918) 772-8346**
 E-mail: **logan-girty@cherokee.org**
 Date: **10/17/2024**

SAMPLED BY: Name **Logan Girty**
 Account #: **C 162**

RELINQUISHED BY: *Logan Girty*
 DATE & TIME: **10/17/2024 5:00 PM**
 RECEIVED BY: *[Signature]*
 DATE & TIME: **10/21/24 9:30**

No.	Sample ID (10 Characters Max)	Sample Description	Volume or Area	Flame Atomic Absorption				Other Analysis	TURNAROUND TIME
				EPA 7000B	NIO5H 7082	Wipes (ug/ft ²)	Air (ug/m ³)		
1	01	Bath 2 Floor	144 sq in	<input type="checkbox"/> WIP <input type="checkbox"/> PLUM <input checked="" type="checkbox"/> mg/cm ²					<input type="checkbox"/> Same Day <input checked="" type="checkbox"/> 24 - Hour <input type="checkbox"/> 3 - Day <input type="checkbox"/> 5 - Day
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									

REQUESTED SERVICES (Please check the appropriate boxes)
 Paint Chips: WIP, PLUM, mg/cm²
 EPA 7000B, NIO5H 7082, Wipes (ug/ft²), Air (ug/m³), TCLP - Pb, TCLP - RCRA 8, RCRA 8, Other Analysis

SATURDAY FEDEX SAMPLE DELIVERY - CALL TO SCHEDULE • Use this address for Saturday Delivery only: 4220 N. Santa Fe Ave., Oklahoma City, OK 73105-8517 • Mark Package "Hold for Saturday Pickup"
 Please Note - UPS and USPS are NOT available for Saturday Delivery