



HACN HOUSING REHAB SITE DIRECTIONS

Name: Laura Jo Weir

Telephone: (918)931-0337

Address: 26100 South 500 Road
Tahlequah, OK 74464

County: Cherokee Year Built: 1966

GPS Coordinates: 35.79630,-95.00213 Drive Time: 20 Minutes

Directions: From Cherokee Nation, Take hwy 82 south to Keys and turn right onto Stone Chaple Road. Go about 2 miles and turn left onto 500 Road. Go to the third driveway on the left.

David Keys
Cost Estimator/Inspector

10/13/2023
Date

Work Write-Up and Bid Document/By Trade

Laura Jo Weir (Roof)

Contractor Name:

26100 S. 500 Rd Tahlequah, OK 7-4464

(918) 931-0337

Contractor Signature:

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs

Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Roofing				
1	<i>Area:</i> ROOF Flashing/Pipe Flashing At The Plumbing Vents/Replacement See comments.	Div:# 7.F	8 Ea	<input type="text"/>
2	<i>Area:</i> ROOF Roofing/Heritage/30 Year Warranty. Install fiberglass shingles/Minimum 30 year warranty/Use Marlarky/Tamko or written approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Valley Flashing, & Attic vents.	Div:# 7.A.	25 Sq	<input type="text"/>
3	<i>Area:</i> ROOF Roofing/Strip/Asphalt-Fiberglass. Remove all layers, and haul roofing debris to a Legal Waste Dump for disposal.	Div:# 7.C	25 Sq	<input type="text"/>
4	<i>Area:</i> ROOF Sheathing/Replace/Match Existing Replace existing sheathing. Match existing as closely as possible. Original decking is 1x pine	Div:# 7.B	200 SF	<input type="text"/>

