

Imagery ©2025 TerraMetrics, Map data ©2025 Google 5 mi

Tahlequah
Oklahoma 74464

This route has tolls.

Get on US-412 W/Cherokee Turnpike in Mayes County
from State Hwy 82 N

- 28 min (24.6 mi)
- ↑ 1. Head north on S Muskogee Ave toward W Downing St
- 62 ft
- ↑ 2. Continue straight to stay on S Muskogee Ave
- 0.2 mi
- ↑ 3. Continue onto N Grand Ave/Valley Ave
- Continue to follow N Grand Ave
- 1.4 mi
- ↶ 4. Turn left onto State Hwy 82 N
- 22.7 mi
- ⤴ 5. Turn left onto the US-412 W/Cherokee Turnpike W ramp
- Toll road
- 0.3 mi

Continue on US-412 W. Take US-169 N to E 156th St N in Collinsville

49 min (55.3 mi)

- 6. Merge onto US-412 W/Cherokee Turnpike
 Toll road
32.6 mi
- 7. Keep left to stay on US-412 W
0.3 mi
- 8. Continue onto I-44/US-412 W
4.6 mi
- 9. Use the right 2 lanes to turn slightly right onto I-244 W/US-412 W (signs for Sand Springs/Enid)
2.1 mi
- 10. Take exit 13C to merge onto US-169 N toward Owasso/Nowata
 Parts of this road may be closed at certain times or days
15.7 mi

Take E 166th St N/E0430 Rd and N 113th E Ave to W 4000 Rd/E0400 Rd in Washington County

11 min (6.6 mi)

- 11. Turn left onto E 156th St N
0.4 mi
- 12. Turn right onto N 137 E Ave/137th E Ave
1.0 mi
- 13. Turn left onto E 166th St N/E0430 Rd
1.5 mi
- 14. Turn right onto N 113th E Ave/N Garnett Rd
 Continue to follow N 113th E Ave
2.0 mi
- 15. Continue onto N4020 Rd
1.0 mi
- 16. Turn left onto W 4000 Rd/E0400 Rd
0.6 mi

401380 W 4000 Rd
 Collinsville, OK 74021



Housing Authority of the Cherokee Nation
 PO Box 1007,
 Tahlequah, Oklahoma 74465-1007
 918-456-5482 | 1-800-837-2869


Description	Quantity	Per
ESTIMATE: Structure (Housing Authority of the Cherokee Nation)		Claim #10223, Pat Walker
Approved		
ROOFPLAN: Roofplan		

General Items

1 Roof Vent, Static, Box/Turtle, Aluminum - Replace	8	EA
2 Roof Vent, Static, Box/Turtle, Aluminum - Tear Out	8	EA
3 Flashing, Plumbing Vent Aluminum - Tear Out	4	EA
4 Flashing, Plumbing Vent Aluminum - Replace	4	EA
5 Dumpster 20 Yard	1	EA

Roof, Roof 2, Roof 3, Roof 4

Roof area: 3,670.31 SF **Squares:** 36.7 SQ **Soffit:** 603.48 SF
Eaves: 174.33 LF **Ridge:** 103.00 LF



6 Shingles, Laminated/Architectural Very Good - Tear Out	36.71	SQ
7 Shingles, Laminated/Architectural Very Good - Replace	36.71 (40.38)	SQ
<input type="checkbox"/> Includes 10% waste on material quantity.		
8 Ridge Cap Shingles, Fiberglass - Replace	103.00 (113.30)	LF
<input type="checkbox"/> Includes 10% waste on material quantity.		
9 Valley Flashing, Aluminum - Tear Out	27.28	LF
10 Valley Flashing, Aluminum - Replace	66.64 (69.97)	LF
<input type="checkbox"/> Includes 5% waste on material quantity.		
11 Sheathing, Roof OSB, 1/2" - Replace	679.71 (713.70)	SF
<input type="checkbox"/> Includes 5% waste on material quantity.		
12 Flashing, Step, Aluminum, .016 - Tear Out	17.66	LF
13 Flashing, Step, Aluminum, .016 - Replace	17.66 (18.54)	LF
<input type="checkbox"/> Includes 5% waste on material quantity.		
14 Drip Edge (Rake + Eave) Galvanized - Replace	334.85 (351.59)	LF
<input type="checkbox"/> Includes 5% waste on material quantity.		