

## **HACN HOUSING REHAB** SITE DIRECTIONS

Name: Roy McGrew Telephone: (918) 530-5581

Address:

10105 south 4270 road

Chelsea, OK 74016

County: Rogers

Year Built:

GPS Coordinates: 36.465942 -95.398546

Drive Time: 1hr 15min



Directions: From Cherokee Nation, Head north on 82 all the way into Salina turn left at the light on hwy 20 into pryor at the light turn right on hwy 69 into adair at the light of main street turn left on hwy 28 go roughly 7.5 miles take a right on N 4270 rd about 2 miles up destination will be on the right. (Cant see house from road)

Cost Estimator/Haspector

## WorkWrite-Up and Bid Document/By Trade

Roy McGrew (Tribal Rehab) 10105 S 4270 Rd Chelsea, OK 7-4016	Contractor Name: Contractor Signature:		
(910) 550-5501	This document mus	This document must be signed to be a valid bid.	bid.
PROJE	PROJECT TYPE: Rehabilitation	Bid Due Date:	
Trade Work Description / Comments	nments Gen. Spec.	Qty Unit	Item Bid
Appliances			
1 Area: KITCHEN	Div.# 10.F.	1 Ea	
Dishwasher/Remove dishwasher / Reinstall dishwasher/ Work shall include water lines and drain lines.	asher/ Work shall include water lines		
Carpentry			
2 Area: KITCHEN	Div.# 6.0.1	16.1 LF	
Base Cabinets/Countertops/Replace/ Prefinished Oak. Replace Base Cabinets, Includes countertops, door and drawer pulls.	Oak. Replace Base Cabinets, Includes		
Base cabinets has a dishwasher, need to measure cabinets	e cabinets.		
3 Area: BATHROOM #1	<i>Div.</i> # 16.B. 2.	1Ea	
Door Opening/Widen/Interior/Bathroom/Widen/Install new door/ pre-hung. Work shall include new door, framing, lockset, floor transition, paint and trim.	stall new_door/ pre-hung. Work shall , paint and trim.		
Widen the door opening to where a 32" door will can be installed.	an be installed.		

Trade Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Carpentry			
4 Area: EXTERIOR	Div.# 8.A.	1 Ea	
Door/Exterior/Half-Glass/Pre-Hung Steel/Replace. Replace exterior entrance door with new pre-hung-steel two panel with 1/2 glass. Work shall include paint-both sides, lockset, deadbolt & peephole.	nce door with h sides, lockset,		
Replace on the east side of the house.			
5 Area: EXTERIOR	Div.# 6.P	110 LF	
Fascia/Replace/1" x 8". Replace Fascia/1" x 8".			
Replace fascia on the 2nd story.			
6 Area: INTERIOR	Div.# 10.G	1Ea	
Fire Extinguisher/Install. Install new fire extinguisher.			
7 Area: KITCHEN	Div.# 6.D.	225 SF	
Floor System/Replace. Replace entire floor system, include rim joists, floor joist, mudseal, 3/4" T&G subflooring.	or joist,		
Replace all deteriorated materials.			
8 Area: EXTERIOR	<i>Div.</i> # 8.A.1.	1 Ea	
French Patio Door Double Glazed/Steel. Replace patio door with new French patio door/steel 6 insulated glazing. Work shall include paint-both sides, lockset & deadbolt.	ench patio et & deadbolt.		
Replace on the south side of the house.			
9 Area: EXTERIOR	Div.# 15	200 SF	
Siding/Lap Siding/Replace existing siding with new smart board siding (textured), primed. East side replace lap siding	extured), primed.		Γ

Trade Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Carpentry			
10 Area: EXTERIOR	Div.# 15	200 SF	
Siding/Lap Siding/Replace existing siding with new smart board siding (textured), primed.	ed), primed.		
North side gable replace lap siding.			
11 Area: EXTERIOR	Div.# 15	90 SF	
Siding/Lap Siding/Replace existing siding with new smart board siding (textured), primed.	ed), primed.		
Replace on the north side of 2nd story above the roof.			
12 Area: EXTERIOR	Div.# 15	48 SF	
Siding/Lap Siding/Replace existing siding with new smart board siding (textured), primed.	ed), primed.		
North wall by the A/C unit replacelap siding .			
13 Area: EXTERIOR	Div.# 15	150 SF	
Siding/Lap Siding/Replace existing siding with new smart board siding (textured), primed.	ed), primed.		
West wall by the A/C unit replace lap siding.			
14 Area: EXTERIOR	Div.# 6.P	65 SF	
Soffit/Replace. Replace Soffit /See comments.			
Replace on south side of 2nd story			
15 Area: EXTERIOR	Div.# 8.B	1 Ea	
Storm Door/Vinyl Clad/Install. Install new storm door, vinyl clad. Use Larson model 298-SS or written approved equal.	nodel 298-		
16 Area: BATHROOM #1	Div.# 6.D.	60 SF	
Subfloor/ Remove the existing flooring. Replace subfloor with new 3/4" smooth plywood.	th plywood.		

Trade Work Description / Comments Gen. Spec.	Qty Unit	Item Bid
Carpentry		
17 Area: EXTERIOR Div.#8.G	10 Ea	
Window/Replace/Vinyl Thermopane/Low-E. Replace window, White Vinyl./ American Craftsman, or use written approved equal. Includes frame, sill, sash, trim, hardware,		
North side replace 1 double on gable side, east side replace 3 double, West side replace		
Drywall & Finish		
18 Area: BATHROOM #2 Div.# 9.D	6 SF	
Drywall/Ceiling/Replace 1/2" drywall on ceiling/Finish completely. Work shall include ape, bed & texture to match existing surfaces.		
Electrical		
19 Area: INTERIOR Div.# 13.D.	1 Ea	
Carbon Monoxide Detector/Direct Plug Type/Install. Install a new direct plug type carbon monoxide detector.		
20 Area: INTERIOR Div.# 13.D.	6 Ea	
Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year lithium battery). All bedrooms and hallways adjacent to bedrooms. Use Firex #4015 or written approved equal.		
Flooring		

Page 5 of 9		10105 S 4270 Rd Chelsea, OK 7-4016	Print Date: Monday, May 13, 2024
		Flooring/ Install vinyl/waterproof/flooring planks. min 12-mil lifetime warranty. Install according to the manufactures instructions.  nstall at the bottom of stairs.	hooring/ Install vinyl/waterproof/flooring place according to the manufactures instructions install at the bottom of stairs.
	60 SF	<i>Div.</i> #9.L	26 Area: INTERIOR
		Liporing/ Install vinyl/waterproof/flooring planks. min 12-mil lifetime warranty. Install according to the manufactures instructions.  Upstairs bedroom, includes new base trim.	Upstairs bedroom, includes new base trim
	285 SF	<i>Div.</i> #9.L	25 Area: BEDROOM #5
			Includes closet and new base trim
		Flooring/ Install vinyl/waterproof/flooring planks. min 12-mil lifetime warranty. Install according to the manufactures instructions.	Flooring/ Install vinyl/waterproof/flooring paccording to the manufactures instructions
	340 SF	<i>Div.</i> # 9.L	24 Area: BEDROOM #3
			Includes new base trim.
		Flooring/ Install vinyl/waterproof/flooring planks. min 12-mil lifetime warranty. Install according to the manufactures instructions.	Flooring/ Install vinyl/waterproof/flooring placeording to the manufactures instructions
	155 SF	<i>Div.</i> #9.L	23 Area: BEDROOM #2
			Includes new base trim, overlay the tile.
		Flooring/ Install vinyl/waterproof/flooring planks. min 12-mil lifetime warranty. Install according to the manufactures instructions.	Flooring/ Install vinyl/waterproof/flooring pl according to the manufactures instructions.
	225 SF	<i>Div.</i> # 9.L	22 Area: BEDROOM #1
		Flooring/ Install vinyl/waterproof/flooring planks. min 12-mil lifetime warranty. Install according to the manufactures instructions.  ncludes new base trim.	Flooring/ Install vinyl/waterproof/flooring placcording to the manufactures instructions.  Includes new base trim.
	60 SF	Div.#9.L	21 Area: BATHROOM #1
			Flooring
Item Bid	Qty Unit	on / Comments Gen. Spec.	Trade Work Description / Comments

Page 6 of 9		10105 S 4270 Rd Chelsea, OK 7-4016	Print Date: Monday, May 13, 2024
			Carpet/Remove existing carpet and pad.  Upstairs bedroom.
	31 SY	Div.# 9.M	33 Area: BEDROOM #5
			Includes closet.
			Carpet/Remove existing carpet and pad.
	37 SY	Div.# 9.M	32 Area: BEDROOM #3
			Carpet/Remove existing carpet and pad.
	17 SY	<i>Div.</i> # 9.M	31 Area: BEDROOM #2
			Install on the stairs and the top.
		vel loop)and pad (15 oz.).	Carpet & Pad/Level Loop/26 oz./Install new carpet (26 oz., level loop)and pad (15 oz.).
	9SY	Div.# 9.M	30 Area: INTERIOR
			Includes new base trim.
		ifetime warranty. Install	Flooring/ Install vinyl/waterproof/flooring planks. min 12-mil lifetime warranty. Install according to the manufactures instructions.
	100 SF	Div.# 9.L	29 Area: UTILITY ROOM #1
			Includes new base trim.
		ifetime warranty. Install	Flooring/ Install vinyl/waterproof/flooring planks. min 12-mil lifetime warranty. Install according to the manufactures instructions.
	1020 SF	Div.# 9.L	28 Area: LIVING ROOM #1
			Includes new base trim.
		fetime warranty. Install	Flooring/ Install vinyl/waterproof/flooring planks. min 12-mil lifetime warranty. Install according to the manufactures instructions.
	225 SF	<i>Div.</i> # 9.L	27 Area: KITCHEN
			Flooring
Item Bid	Qty Unit	Gen. Spec.	Trade Work Description / Comments

Gen. Spec.	Qty Unit	Item Bid
Div.# 9.M	7 SY	
Div.# 9.M	9SY	
Div.# 9.M	101 SY	
		The latest and the la
Div.# 6.F	7 S Y	
ayment.		
Div.# 6.F	25 SY	
ayment.		
Div.# 9.N.3	320 SF	
de minor repairs		
Div.# 9.N.4	110 LF	
	### Trade   Work Description / Comments   Gen. Spec. ### Flooring ### 34 Area: INTERIOR  Carpet/Remove existing carpet and pad.  Remove carpet at the bottom of stairs.  ### 35 Area: INTERIOR  Carpet/Remove existing carpet and pad.  Remove carpet on the stairs and the top.  ### 36 Area: LIVING ROOM #1  Carpet/Remove existing carpet and pad.  ### 37 Area: BATHROOM #1  Underlayment/3/8". Replace existing underlayment with new 3/8 " underlayment.  ### 38 Area: BATHROOM #1  Underlayment/3/8". Replace existing underlayment with new 3/8 " underlayment.  ### 39 Area: BATHROOM #1  Paint & Finish  ### 39 Area: BATHROOM #1  Paint Interior of House/Ceilings, walls/Paint Two coats. Work shall include minor repairs to surfaces. SF=Area under roof. Match existing Texture.  ### 10 Area: EXTERIOR  ### 40 Area:	v.#9.M v.#9.M v.#9.M v.#9.N v.#9.N.3 or repairs

Turk Description / Comments	Con Snor	Orv Unit	Item Bid
Paint & Finish			
41 Area: EXTERIOR	Div.# 9.N.4	700 SF	
House/Paint/Two Coats. Paint exterior of the house (two coats). Include cleaning caulking and filling of small holes.	aning,		
Paint siding where lap siding was replaced.			
42 Area: EXTERIOR	Div.# 9.N.4	65 SF	
Soffit/Paint soffit/two coats.			
Paint soffit where it was replaced.			
Plumbing			
43 Area: BATHROOM #1	Div.# 16.C.	1 Ea	
Commode/High Rise/Handicap /Replace commode with new high rise/Handicap commode with Seat & two (2) grab bars. include new shutoff, supply line and wax ring. Examine condition of the flange and report if damaged. Consult owner for location of grab bars	cap d wax ring. ation of		
44 Area: KITCHEN	Div.# 11.A	1 Ea	
Faucet/Kitchen sink/Single Handle/Goose Neck. Replace kitchen sink and faucet with new single handle goose neck faucet, supply lines, escutcheon plates & shutoffs. Includes Sprayer.	ucet with offs.		
45 Area: BATHROOM #1	Div.# 11.A	1 Ea	
Lavatory Faucet/Install new Single Handle faucet Delta Model #22C101, drains, supply lines & shutoffs.	ns, supply		
46 Area: BATHROOM #1	Div.# 11.A	3LF	
Lavatory-Vanity Cabinet/Replace. Replace existing lavatory-vanity cabinet with new vanity cabinet (pre-finished oak). Match existing size.	th new		
Print Posts Mary 12 2021	7101		n _ 0 _ fn

Trade Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Plumbing			
47 Area: BATHROOM #1	Div.# 11.A	5 SF	
Lavatory-Vanity Sinktop/Cultured Marble/Replace. Replace existing lavatory-vanity sinktop with new vanity sinktop (cultured marble). Match existing size.	vanity		
48 Area: BATHROOM #1	Div.# 16.C.	1 Ea	
Shower/Elderly/Pre-Fab Install new elderly shower/Pre-fab 3 or 4 piece / with 3-grab bars, Includes a pressure balanced shower valve, glide bar,shower head, drian and with a molded in seat	3-grab an and with		
There isn't much room from commode to existing tub, the existing tub is $30" \times 5'$ . Make all repairs needed.	< 5'. Make all		
			AND AND DESCRIPTION OF THE PERSON OF THE PER

compliance with the more stringent requirement. Contractor awarded the job will be responsible attached Asbestos Sampling Report for location and testing of Planned Work Activities. Workers. Asbestos report, where required, will be attached if areas tested are 1% or greater. See for conducting safe work practices that comply with OSHA Construction Standards for Asbestos All construction shall be in accordance with local codes, manufacturers' recommended Based Paint requirements when applicable. Conflicts between requirements will be resolved by installation procedures, good quality workmanship practices, General Specifications and Lead-